HYDAC INTERNATIONAL GmbH
66280 Sulzbach/Saar
Germany
Phone: +49 (0) 68 97 509-01
Email: info@hydac.com
Website: www.hydac.com

EPPENSTEINER (BRFS/EPE) Replacement Filter Elements



1 2

Part Number	Model Code	Absolute Filter Rating	Media Type	Seal	Outside Diameter	Length
1295382	7.0004 D 10 BN4	10 µm	BN/HC=Beta micron® Low Collapse	Nitrile Rubber (NBR)	1.8 in 45 mm	3.3 in 83 mm
1298606	7.0013 R 10 BN4	10 µm	BN/HC=Beta micron® Low Collapse	Nitrile Rubber (NBR)	2.4 in 60 mm	8.8 in 223 mm
1303060	7.0015 D 100 W	N/A	W=Stainless Steel Wire Mesh	Nitrile Rubber (NBR)	2.4 in 60 mm	6.8 in 173 mm
1300855	7.0015 D 50 W	N/A	W=Stainless Steel Wire Mesh	Nitrile Rubber (NBR)	2.4 in 60 mm	2.9 in 73 mm
1282673	7.0030 D 06 BH4	6 µm	BH/HC=Beta micron® High Collapse	Nitrile Rubber (NBR)	3.1 in 80 mm	9.8 in 250 mm

Part Number	Model Code	Absolute Filter Rating	Media Type	Seal	Outside Diameter	Length
1277130	7.0045 D 10 BN4	10 µm	BN/HC=Beta micron® Low Collapse	Nitrile Rubber (NBR)	3.1 in 80 mm	15.6 in 396 mm
2206235	7.0055 R 03 BN4 /-V	3 µm	BN/HC=Beta micron® Low Collapse	Fluoroelastomer (FPM)	4.3 in 110 mm	22.40 in 569 mm
2206236	7.0058 D 20 BN4 /-V-B3	20 µm	BN/HC=Beta micron® Low Collapse	Fluoroelastomer (FPM)	4.3 in 110 mm	33.6 in 853.5 mm
1302065	7.0059 D 06 BN4 /-B3	6 µm	BN/HC=Beta micron® Low Collapse	Nitrile Rubber (NBR)	4.3 in 110 mm	43.3 in 1100 mm
1302066	7.0059 D 10 BN4 /-B3	10 µm	BN/HC=Beta micron® Low Collapse	Nitrile Rubber (NBR)	4.3 in 110 mm	43.3 in 1100 mm
1323229	7.0120 R 01 BN4	1 µm	BN/HC=Beta micron® Low Collapse	Nitrile Rubber (NBR)	N/A	N/A
1282651	7.0145 R 06 BN4	6 µm	BN/HC=Beta micron® Low Collapse	Nitrile Rubber (NBR)	6.3 in 160 mm	15.7 in 400 mm
2206234	7.0270 R 03 BN4 /-V	3 µm	BN/HC=Beta micron® Low Collapse	Fluoroelastomer (FPM)	6.3 in 160 mm	38.9 in 989 mm
1323230	7.0270 R 05 BNK4	5 µm	BHK=Only Glass Fibers-Low Collapse	Nitrile Rubber (NBR)	6.3 in 160 mm	38.9 in 989 mm
1277129	7.0270 R 10 BNK4	10 µm	BHK=Only Glass Fibers-Low Collapse	Nitrile Rubber (NBR)	6.3 in 160 mm	38.9 in 989 mm
1300184	7.10 D 25 W	N/A	W=Stainless Steel Wire Mesh	Nitrile Rubber (NBR)	1.8 in 45 mm	1.3 in 34 mm
1307525	7.140 D 03 BN4	3 µm	BN/HC=Beta micron® Low Collapse	Nitrile Rubber (NBR)	2.9 in 74 mm	5.8 in 148 mm
1282676	7.140 D 06 BH4	6 µm	BH/HC=Beta micron® High Collapse	Nitrile Rubber (NBR)	2.9 in 74 mm	5.8 in 148 mm

Part Number	Model Code	Absolute Filter Rating	Media Type	Seal	Outside Diameter	Length
1278807	7.1801 R 06 BN4	6 µm	BN/HC=Beta micron® Low Collapse	Nitrile Rubber (NBR)	5.6 in 143 mm	29.7 in 754 mm
1281367	7.1801 R 10 BNK4	10 µm	BHK=Only Glass Fibers-Low Collapse	Nitrile Rubber (NBR)	5.6 in 143 mm	29.7 in 754 mm
1308837	7.1801 R 25 W	N/A	W=Stainless Steel Wire Mesh	Nitrile Rubber (NBR)	5.6 in 143 mm	29.7 in 754 mm
1277187	7.361 R 10 BN4	10 µm	BN/HC=Beta micron® Low Collapse	Nitrile Rubber (NBR)	4 in 102 mm	9.1 in 231 mm
1300804	7.460 D 20 BN4	20 µm	BN/HC=Beta micron® Low Collapse	Nitrile Rubber (NBR)	2.9 in 74 mm	14.8 in 375 mm
1283039	7.460 D 200 W /-V	N/A	W=Stainless Steel Wire Mesh	Fluoroelastomer (FPM)	2.9 in 74 mm	14.8 in 375 mm
1278177	7.561 R 06 BN4	6 µm	BN/HC=Beta micron® Low Collapse	Nitrile Rubber (NBR)	5.6 in 143 mm	10.4 in 263 mm