HYDAC INTERNATIONAL GmbH
66280 Sulzbach/Saar
Germany
Phone: +49 (0) 68 97 509-01
Email: info@hydac.com
Website: www.hydac.com

PARKER Replacement Filter Elements



1 2 3

Part Number	Model Code Description	Absolute Filter Rating	Media Type	Seal	Cap 1 Type	Cap 2 Type	Outside Diameter	Length
2063179	4.01.09 S 03 BN4	3 µm	BN/HC=Betamicron® Low Collapse	Nitrile Rubber (NBR)	Open Cap/Grommet	Open Cap/Grommet	3.7 in 93.7 mm	9.1 in 230.4 mm
2062473	4.01.09 S 10 BN4	10 µm	BN/HC=Betamicron® Low Collapse	Nitrile Rubber (NBR)	Open Cap/Grommet	Open Cap/Grommet	3.7 in 93.7 mm	9.1 in 230.4 mm
2062337	4.01.09 S 10 P	N/A	P=Polyester Fleece / Cellulose	Nitrile Rubber (NBR)	Open Cap/Grommet	Open Cap/Grommet	3.7 in 93.7 mm	9.1 in 230.4 mm
2083640	4.01.09 S 10 P /-V	N/A	P=Polyester Fleece / Cellulose	Fluoroelastomer (FPM)	Open Cap/Grommet	Open Cap/Grommet	3.7 in 93.7 mm	9.1 in 230.4 mm

Part Number	Model Code Description	Absolute Filter Rating	Media Type	Seal	Cap 1 Type	Cap 2 Type	Outside Diameter	Length
2062336	4.01.09 S 20 BN4	20 µm	BN/HC=Betamicron® Low Collapse	Nitrile Rubber (NBR)	Open Cap/Grommet	Open Cap/Grommet	3.7 in 93.7 mm	9.1 in 230.4 mm
2062324	4.01.09 S 20 P	N/A	P=Polyester Fleece / Cellulose	Nitrile Rubber (NBR)	Open Cap/Grommet	Open Cap/Grommet	3.7 in 93.7 mm	9.1 in 230.4 mm
2206391	4.01.09 S 74 W	N/A	W=Stainless Steel Wire Mesh	Nitrile Rubber (NBR)	Open Cap/Grommet	Open Cap/Grommet	3.7 in 93.7 mm	9.1 in 230.4 mm
2068219	4.01.18 S 03 BN4	3 µm	BN/HC=Betamicron® Low Collapse	Nitrile Rubber (NBR)	Open Cap/Grommet	Open Cap/Grommet	3.7 in 93.7 mm	9.1 in 230.4 mm
2070520	4.01.18 S 03 BN4 /-V	3 µm	BN/HC=Betamicron® Low Collapse	Fluoroelastomer (FPM)	Open Cap/Grommet	Open Cap/Grommet	3.7 in 93.7 mm	9.1 in 230.4 mm
2206392	4.01.18 S 05 BN4	5 µm	BN/HC=Betamicron® Low Collapse	Nitrile Rubber (NBR)	Open Cap/Grommet	Open Cap/Grommet	3.7 in 93.7 mm	9.1 in 230.4 mm
2062551	4.01.18 S 10 BN4	10 µm	BN/HC=Betamicron® Low Collapse	Nitrile Rubber (NBR)	Open Cap/Grommet	Open Cap/Grommet	3.7 in 93.7 mm	9.1 in 230.4 mm
2067740	4.01.18 S 10 P	N/A	P=Polyester Fleece / Cellulose	Nitrile Rubber (NBR)	Open Cap/Grommet	Open Cap/Grommet	3.7 in 93.7 mm	9.1 in 230.4 mm
2064904	4.01.18 S 20 P	N/A	P=Polyester Fleece / Cellulose	Nitrile Rubber (NBR)	Open Cap/Grommet	Open Cap/Grommet	3.7 in 93.7 mm	9.1 in 230.4 mm
1297250	4.01.18 S 20 P /-V	N/A	P=Polyester Fleece / Cellulose	Fluoroelastomer (FPM)	Open Cap/Grommet	Open Cap/Grommet	3.7 in 93.7 mm	9.1 in 230.4 mm

Part Number	Model Code Description	Absolute Filter Rating	Media Type	Seal	Cap 1 Type	Cap 2 Type	Outside Diameter	Length
2078352	4.05.05 D 03 BN4 /- V	3 µm	BN/HC=Betamicron® Low Collapse	Fluoroelastomer (FPM)	O-Ring Cap	Closed End Cap	2.4 in 62 mm	5.3 in 135.7 mm
2078373	4.05.05 D 05 BN4 /- V	5 µm	BN/HC=Betamicron® Low Collapse	Fluoroelastomer (FPM)	O-Ring Cap	Closed End Cap	2.4 in 62 mm	5.3 in 135.7 mm
1298607	4.05.05 D 10 BN4	10 µm	BN/HC=Betamicron® Low Collapse	Nitrile Rubber (NBR)	O-Ring Cap	Closed End Cap	2.4 in 62 mm	5.3 in 135.7 mm
2078374	4.05.05 D 10 BN4 /- V	10 µm	BN/HC=Betamicron® Low Collapse	Fluoroelastomer (FPM)	O-Ring Cap	Closed End Cap	2.4 in 62 mm	5.3 in 135.7 mm
2078375	4.05.05 D 20 BN4 /- V	20 µm	BN/HC=Betamicron® Low Collapse	Fluoroelastomer (FPM)	O-Ring Cap	Closed End Cap	2.4 in 62 mm	5.3 in 135.7 mm
2099897	4.05.09 D 03 BN4 /- SO103H-EPR	3 µm	BN/HC=Betamicron® Low Collapse	Ethylene propylene rubber (EPR)	O-Ring Cap	Closed End Cap	2.4 in 62 mm	9.7 in 245.2 mm
2078376	4.05.09 D 03 BN4 /- V	3 µm	BN/HC=Betamicron® Low Collapse	Fluoroelastomer (FPM)	O-Ring Cap	Closed End Cap	2.4 in 62 mm	9.7 in 245.2 mm
2078377	4.05.09 D 05 BN4 /- V	5 µm	BN/HC=Betamicron® Low Collapse	Fluoroelastomer (FPM)	O-Ring Cap	Closed End Cap	2.4 in 62 mm	9.7 in 245.2 mm
2085020	4.05.09 D 10 BN4	10 µm	BN/HC=Betamicron® Low Collapse	Nitrile Rubber (NBR)	O-Ring Cap	Closed End Cap	2.4 in 62 mm	9.7 in 245.2 mm
2078378	4.05.09 D 10 BN4 /- V	10 µm	BN/HC=Betamicron® Low Collapse	Fluoroelastomer (FPM)	O-Ring Cap	Closed End Cap	2.4 in 62 mm	9.7 in 245.2 mm

Part Number	Model Code Description	Absolute Filter Rating	Media Type	Seal	Cap 1 Type	Cap 2 Type	Outside Diameter	Length
2078379	4.05.09 D 20 BN4 /- V	20 µm	BN/HC=Betamicron® Low Collapse	Fluoroelastomer (FPM)	O-Ring Cap	Closed End Cap	2.4 in 62 mm	9.7 in 245.2 mm